PRODUCT CATALOGUE







CONTENTS

O2. ABOUT US	OUR TECHNOLOGY
O4. STRETCH HOOD	06. WRAPPING ROLLS
O7. SHRINK FILM	O8. LDPE FLAT FILM
PALLET TOP NYLON PALLET BOTTOM NYLON	PALLET COVER
12. MATTRESS BAG	BIG BAG LINERS
FLAT FILM FLAT BAG	LDPE INNER BOX BAG DRUM & BAG LINERS ANTI-STATIC BAG
16. STYROFOAM BAG WASTE BAG HEAVY DUTY BAG	LDPE GUSSET BAG WARNING TAPE
PATCH HANDLE BAG LOOP HANDLE BAG BANDED BAG DRESS BAG	MAILING BAG STRETCH FILM BUBBLE WRAP
20. GREENHOUSE COVER	VCI BAG - ROLLS



Graphic-Design has an important place in the product promotion strategy. Our experienced designers provide all kinds of technical support for creating a new design or improving the existing design.

This stage is the process of mixing the main raw materials and the auxiliary materials that add properties to the material in measured proportions with the help of heat and pressure, and forming a film with the balloon inflation method.





In our company, Polyethylene, Polypropylene, CPP, OPP, Metalized etc. up to 1600 mm width with Flexo Printing system. Films can be printed.


The films, whose extrusion, printing and lamination stages are completed, take the desired final shape at the cutting stage and are made ready for shipment.





Extrusion, printing and lamination processes are completed in accordance with the customer's request, the desired size and quantity is the stage of turning the materials.





Special formula, filexible structure.









Save 30% on packaging materials and gain speed.

- It provides protection against negative effects such as rain, dust and humidity.
- It is environmentally friendly with low energy consumption.
- It saves time and material. It has an easy and fast usage feature.



Length: Optional



Width: 100 cm - 220 cm



Thickness: 20 - 450 micron



Perforated: Optional



It completely wraps the pallet and protects to products against external influences.





01.

Spreading the LDPE Film and then transferring it to the squeezing and stretching unit.



02.

Curling the LDPE Film in one direction and adjusting the height dimension.




03

Stretching and final preparation of LDPE Film by biaxial stretching.



04

Coating the product by pulling down the LDPE Film.







High quality protection for profiles and more.

P.E. Wrapping Roll is used in the aluminum industry to wrap profiles and similar products and to prevent the product from being damaged during shipment.



Diameter: 10 cm - 60 cm



Width: 5 cm - 150 cm



Length: Optional



Thickness: 20 - 250 micron





pack the products with **thermal shrinkage.**





Protects your products, protects from puncture, protects from tearing.

Shrink Films ensure that your products are packaged in the most economical and safe way with thermal shrinkage, that the shape and technical features of the product are preserved, stored and shipped.



Length: Optional



Width: 10 cm - 10 mt



Thickness: 20 - 350 micron



Perforated: Optional







Recycle plastic, Create new sustainable life.

LDPE Flat Film has a wide range of uses. You can use it in many areas during and after production.



Diameter: 10 cm - 60 cm



Width: 10 cm - 10 mt



Length: Optional



Thickness: 30 - 150 micron









(%) It keeps your products clean.

Provides perfect protection for your products!



(i) It keeps your boxes clean.

Provides perfect protection for your boxes!



Your products ready for all weather conditions!





clean pallets, clean products!





Length: Optional



Width: 8 mt - 14 mt



Thickness: 20 - 450 micron



Perforated: Optional







(Thick and strong covers.



Produced for clean and comfortable moving.



Length: Optional



Width: 10 cm - 10 mt



Thickness: 20 - 450 micron



Perforated: Optional





Our big bag liners provides **perfect protection**




Gusset Option

Perforated Option

clean products, clean big bags.







Length : Optional



Width: Optional



Thickness: 20 - 450 micron



Perforated: Optional















Length: Optional



Thickness: 20 - 450 micron



Printing: Optional



Width (Flat Film): 10 cm - 10 mt Width (Flat Bag): 10 cm - 240 cm



Perforated: Optional

INNER BOX BAG



CARDBOARD BOX

Safe travel for your products.

DRUM AND BARREL LINERS



DRUM BAGS

Different sizes and different color.


ANTI-STATIC BAG



SHIELD FOR ENERGY

It prevents static build-up.

STYROFOAM BAG



COVER BAG

Full protection for styrofoam sheet.

WASTE BAG



WASTE, GARBAGE

It produced for all your waste.

HEAVY DUTY BAG




STRONG BAG

0

Very strong bag, for your heavy duty.

GUSSET BAG





Gusset Bag protects the form of your products with its form that wraps around the corners and provides a smooth transportation.





WARNING TAPE



SECURITY TAPE

With all sizes, all colors, all designs.

PATCH AND LOOP HANDLE BAG



SHOPPING BAG

With all sizes, all colors, all designs.

BANDED BAG



CLOTHES BAG

Variable sizes, variable colors.

DRESS BAG



DRESS PROTECTION

Special protection for your all clothes.

MAILING BAG



SHOPPING BAG

With all sizes, all colors, all designs.



BUBBLE WRAP



NYLON BUBBLE

O

Bubble wrap is very safely for carrying products.



Variable **sizes**, variable **microns**, variable **thickness**.



Healthy production for food agriculture.

- Greenhouse cover is very important for sustainable agriculture policies.
- For healthy foods, we must create optimum temprature for them.

All additives can be added according to customer requests.






Width: 50 cm - 14 mt



Professional, modern and full protection

Provides strong protection against corrosion.

Sersan VCI Bag and Roll series protects all kinds of metal against corrosion in storage or shipment conditions thanks to its strong VCI content and superior physical properties, which are polyethylene, bag, film, shrink, bubble and stretch types.








With special formula, anti corrosion for your parts.





www.**kayraemtia**.com





Buyuksehir Mah. Cumhuriyet Cad.
No:1 Ekinoks E2 / 33
Beylikduzu - Istanbul / TURKIYE
+90 212 545 77 77 • +90 549 545 77 78
info@kayraemtia.com • www.kayraemtia.com

